



Loewe **inspire**

The individual all-rounder for smart streaming entertainment

Pre-calibrated Ultra HD OLED panel with HDR and Dolby Vision

Integrated Loewe dr+ hard disk drive with 1 terabyte recording capacity

Super fast Loewe os with comfortable Loewe remote control

Netflix, YouTube, Disney+, Apple tv+, Zattoo, HD+ and more

Support of Alexa Skills, Miracast, Apple AirPlay and DTS Play-Fi

Innovative audio solutions from invisible sound to klang bar i and beyond



LOEWE was found by the Loewe brothers as Radio Frequenz GmbH in Berlin in 1923. Today we still design, develop and produce consumer electronics – Made in Germany.

Data sheet

Loewe **inspire**

July 2024

LOEWE.

www.loewe.tv



Loewe inspire

The individual all-rounder for smart streaming entertainment



Superior picture quality

Brilliant TV experience with Ultra HD OLED panels and a full range of HDR formats including Dolby Vision. Delivered by the latest W-OLED generation from LG Display with best performance, deepest black and lowest reflectivity.

Pre-calibrated in our own factory at the headquarters in Kronach, Germany to meet all relevant movie picture and colour standards for a perfectly natural and impressive image reproduction right out of the box in your living room.

Integrated digital recorder

Loewe dr+ system for comfortable recording: A premium EPG, a triple tuner, an integrated 1 TB HDD, native VoD apps and HbbTV media libraries allow timeshift and recording DVB in the background while watching streaming content or movies from the archive.

The Loewe chassis SL850 is based on a high performance main CPU and runs with Loewe os8 for fast operation and full support on features, apps and connectivity standards, including two HDMI 2.1 inputs with UHD VRR @ 120 Hz - perfect for gaming consoles with fast graphics.

Super fast smart streaming

The super-fast Loewe os8 offers all important VoD services like Netflix, YouTube, Disney+, Apple tv+, Freeview Play, HD+, Zattoo, FIFA+ and many more. It also supports Apple AirPlay and DTS Play-Fi for great network interaction and connectivity with smart home and multiroom audio devices.

The comfortable alu-made Loewe remote offers six direct streaming buttons plus control via the illuminated cursor field. Paired by Bluetooth, it also supports voice commands on your TV. Simply activate the microphone by the push of a button.



Innovative sound solutions

Innovative modular audio solutions from invisible sound to klang bar i and beyond fit to every use-case and situation. Loewe in-house audio development and sound tuning together with Dolby Atmos ensure best acoustic reproduction and movie experience at any time.

Loewe invisible sound with pure monitor-look is the solution for design-aficionados or smaller rooms. Or attach the Loewe klang bar i and enjoy 80 watts, a wider stereo stage and best speech intelligibility. Adding the wireless Loewe klang sub1 makes it a 2.1 system with more volume and bass.

Or connect a Loewe klang bar via HDMI eARC plus one or several Loewe klang sub5 and klang mr speakers to create a true multichannel home cinema via Loewe wireless digital audiolink.

Sophisticated 360° design

Design, construction and quality Made in Germany: A timeless look, with magnetic rear covers, cable management, hidden connections, a basalt grey spray-painted and partly fabric covered rear cabinet is without compromise and expresses pure elegance.

The inner mechanical construction is both clever and robust, with solid VESA bolts funded in the metal main structure of the set and a massive table plate including a rotatable stand with all the way concealed cable routing.

Individual modular solutions

Optional accessories allow the personal configuration of your own home entertainment center to perfectly fit your needs and living space.

The Loewe table stand i can be upgraded with the spacer i to place Loewe klang bars in front of the screen without hindrance. The Loewe floor stand flex, pure or with klang bar and equipment boards allows numerous different use-cases. The unique Loewe floor2ceiling stand creates its own impressive style. Different Loewe wall mounts, also for the klang bars, support any wall installation.

Loewe wireless digital audiolink, together with the Loewe klang system components, allows expandable sound solutions from active soundbars, with one or many subwoofers, to wireless speakers for multichannel home cinema or multiroom audio.

Loewe inspire

The individual all-rounder for smart streaming entertainment

TV

Screen diagonal (cm / inch): 195/77, 164/65, 139/55, 121/48
Screen resolution (pixels): Ultra HD (3840 x 2160)
EU energy efficiency class SDR / HDR: F/F, F/G, F/F, F/F

Power consumption max. (watts): 500, 425, 300, 200
Power consumption standby (watts): 0,3
Energy consumption SDR / HDR (kWh/1000h): tba/tba, 100/104, 77/73, 58/58

Loewe inspire dr+

Scope of delivery includes TV set with HDD, invisible sound and table stand (48-65") or wall mount (77")
inspire 77 dr+: W* x H x PD / TD = 173,1 x 102,3 x 8,4 / 12,2
inspire 65 dr+: W* x H x PD / TD = 146,0 x 86,8 x 6,4 / 29,0
inspire 55 dr+: W* x H x PD / TD = 123,6 x 74,4 x 6,4 / 29,0
inspire 48 dr+: W* x H x PD / TD = 107,7 x 65,4 x 6,4 / 29,0
table stand manually rotatable (+ / - 20°), hidden cable routing

	Model	Article
	basalt grey	inspire 77 dr+ 62467
		inspire 65 dr+ 62466
		inspire 55 dr+ 62464
		inspire 48 dr+ 62463



Soundbar

Loewe klang bar i

Passive soundbar for installation at Loewe inspire



	Model	Article
	basalt grey	klang bar i 59212



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.
* In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

Loewe inspire

The individual all-rounder for smart streaming entertainment

Setup solutions

Further options are possible. Your dealer will be happy to advise you.

Stand solutions

floor2ceiling stand

inspire 77 dr+: W* x H x PD / TD = 173,1 x 220-290 x 8,4 / 18,6

inspire 65 dr+: W* x H x PD / TD = 145,7 x 220-290 x 6,4 / 18,0

inspire 55 dr+: W* x H x PD / TD = 123,6 x 220-290 x 6,4 / 17,5

inspire 48 dr+: W* x H x PD / TD = 107,7 x 220-290 x 6,4 / 17,1

manually rotatable (+/- 110°), hidden cable routing,

height adjustable (220-290 cm), direct mounting - no adapter required



floor stand flex

inspire 77 dr+: W* x H x PD / TD = 173,1 x 102,3 x 8,4 / 54,0

inspire 65 dr+: W* x H x PD / TD = 145,7 x 128,9 x 6,4 / 54,0

inspire 55 dr+: W* x H x PD / TD = 123,6 x 116,5 x 6,4 / 54,0

inspire 48 dr+: W* x H x PD / TD = 120,8 x 107,5 x 6,4 / 54,0

manually rotatable (+/- 45°), hidden cable routing,

with or without carrier for accessory tray or soundbar



floor stand universal

inspire 65 dr+: W* x H x PD / TD = 145,7 x 128,9 x 6,4 / 54,0

inspire 55 dr+: W* x H x PD / TD = 123,6 x 116,5 x 6,4 / 54,0

inspire 48 dr+: W* x H x PD / TD = 120,8 x 107,5 x 6,4 / 54,0

manually rotatable (+/- 45°), hidden cable routing

Wall solutions

wall mount universal

inspire 65 dr+: W* x H x PD / TD = 145,7 x 85,8 x 6,4 / 10,1

inspire 55 dr+: W* x H x PD / TD = 123,6 x 73,4 x 6,4 / 10,1

inspire 48 dr+: W* x H x PD / TD = 107,7 x 64,4 x 6,4 / 10,1

tiltable mounting



wall mount slim 432

inspire 77 dr+: W* x H x PD / TD = 173,1 x 102,3 x 8,4 / 10,4

inspire 65 dr+: W* x H x PD / TD = 146,0 x 85,8 x 6,4 / 8,4

inspire 55 dr+: W* x H x PD / TD = 123,6 x 73,4 x 6,4 / 8,4

inspire 48 dr+: W* x H x PD / TD = 107,7 x 64,4 x 6,4 / 8,4

flat mounting

Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.

* In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

Data sheet

Loewe **inspire**

July 2024

Loewe inspire

The individual all-rounder for smart streaming entertainment

System components

Loewe multi.room amp

Stereo amplifier for multiroom and home cinema installations with 1.200 watts total music power

Colour

 black



Model

[multi.room amp](#)

Article

61600

Loewe klang bar5 mr

5.1.2 Dolby Atmos soundbar with wireless subwoofer and 800 watts total music power

Colour

 basalt grey



[klang bar5 mr](#)

60601

Loewe klang bar3 mr

3.1 Dolby Atmos soundbar with integrated subwoofer and 360 watts total music power

Colour

 basalt grey



[klang bar3 mr](#)

60614

Loewe klang sub5

Any number of klang sub5 can be connected to a klang bar3 mr or klang bar5 mr at the same time

Colour

 basalt grey



[klang sub5](#)

60603

Loewe klang mr5

Wireless active speakers with 180 watts for multichannel home cinema or multiroom audio

Colour

 basalt grey



[klang mr5](#)

60606

Loewe klang mr3

Wireless active speakers with 150 watts for multichannel home cinema or multiroom audio

Colour

 basalt grey



[klang mr3](#)

60605

Loewe klang mr1

Wireless active speakers with 30 watts as rear surround or for multiroom audio

Colour

 basalt grey



[klang mr1](#)

60604

Loewe remote klang mr

Multifunctional IR remote control for Loewe klang mr and Loewe klang bar to operate all basic functions and sound settings

Colour

 black



[remote klang mr](#)

74000

Data sheet

Loewe **inspire**


July 2024

Loewe **inspire**

The individual all-rounder for smart streaming entertainment

Aditional Information

www.loewe.tv



my Loewe app



Your Loewe contact

We are happy to help personally.

Our Loewe Customer Care Center is here for you:
Monday to Friday 09:00 – 17:00 o'clock
ccc@loewe.de | 0049 9261 99 500

Your Loewe dealer

Technical Data

Loewe inspire

77 dr+

65 dr+

55 dr+

48 dr+

Image

Screen resolution (pixels)	Ultra HD (3840 x 2160)			
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	195 / 77 / 1	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1
Panel luminance ¹ (ca. cd/m ²) / Viewing angle (h/v)	1.100 / 120°	1.100 / 120°	1.100 / 120°	800 / 120°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	• / • / • / •	• / • / • / •	• / • / • / •	• / • / • / •
HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	• / • / • / • (incl. IQ PD) / •	• / • / • / • (incl. IQ PD) / •	• / • / • / • (incl. IQ PD) / •	• / • / • / • (incl. IQ PD) / •

Reception

DVB-T2/C/S2 HD / Unicable / Dual Channel	• / • / —	• / • / —	• / • / —	• / • / —
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	• / • / • / • (incl. H.266)	• / • / • / • (incl. H.266)	• / • / • / • (incl. H.266)	• / • / • / • (incl. H.266)
DiSEqC / Sat over IP / DVB-C over IP / DVB radio	• / — / — / •	• / — / — / •	• / — / — / •	• / — / — / •
TV+ / Zattoo app / HD+ app	• (Live TV) / • / •			

Audio

Output (ca. watts sine / music) / driver (active + passive)	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2
Acoustic speaker concept	speaker box + bass reflex			
Front firing / down firing / 2-channel crossover	— / • (invisible sound) / —			
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	• / • / • / • / •	• / • / • / • / •	• / • / • / • / •	• / • / • / • / •
Class-D amp / Auto Volume (AVC)	• / •	• / •	• / •	• / •
7-Band EQ / Dynamic Loudness	• / •	• / •	• / •	• / •

Operation and apps

Loewe chassis / os / home screen / app store	SL8 / os8 / • / •			
my Loewe app / smart apps (all: Android + iOS)	• / Vidaa app			
Voice control: Alexa Skills / other	• / Vidaa voice			
EPG / Number of stations in channel list	• / 10.000	• / 10.000	• / 10.000	• / 10.000
Mediatext (HbbTV) / Teletext / Splitscreen	• / • / •	• / • / •	• / • / •	• / • / •
Menu languages / Context related help	• ^{3C} / •			
Parental Lock / Automatic turn-off / Timer	• / • / •	• / • / •	• / • / •	• / • / •
Software update (via USB / Internet) / Hotel Mode	• / • / •	• / • / •	• / • / •	• / • / •

Multimedia

Loewe dr+: storage capacity (GB) / USB recording / timeshift	1.000 / o / •			
Loewe dr+: streaming server / client	— / •	— / •	— / •	— / •
Media player / DLNA renderer / web apps / browser	• / • / • / •	• / • / • / •	• / • / • / •	• / • / • / •
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	• / • / • / •	• / • / • / •	• / • / • / •	• / • / • / •

Connectivity and Interfaces

Antenna IEC / satellite F / CI+ 1.4 ECP certified	1 / 1 / 1	1 / 1 / 1	1 / 1 / 1	1 / 1 / 1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	• / • / • (120 Hz)			
HDCP 2.2 / HDMI-CEC / ARC / eARC	• / • / • / •	• / • / • / •	• / • / • / •	• / • / • / •
USB	4 (2 x USB 3.0)			
USB-A power	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A
Bluetooth / Miracast / AirPlay	• / • / •	• / • / •	• / • / •	• / • / •
LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi	• / • / •	• / • / •	• / • / •	• / • / •
TOSLINK / center in / cube plug stereo	• / — / •	• / — / •	• / — / •	• / — / •
Audio out control: fix / variable / sub (3.5 mm jack)	• / • / •	• / • / •	• / • / •	• / • / •
Home automation / Control4 / Crestron	• (via IP) / • / •			

Energy

EU energy efficiency class: SDR (EEI) / HDR (EEI)	F / F	F (0.879) / G (0.914)	F (0.893) / F (0.847)	F (0.851) / F (0.848)
EPR EL registration No.: https://eprel.ec.europa.eu	1993349	1993207	1993193	1653891
Mains voltages / Power switch / Off mode (watts)	220-240V, 50/60 Hz / — / n.a.			

Dimensions

Weight (ca. kg) excl. / incl. standard setup solution	34.1 / 35.9 (wm universal)	29.2 / 35.2	22.8 / 28.8	15.5 / 21.5
W* x H x D (cm) without setup solution	173.1 x 102.3 x 8.4	146.0 x 86.8 x 6.4	123.6 x 74.4 x 6.4	107.7 x 65.4 x 6.4
W* x H x D (cm) incl. table stand (* incl. signature flag)	173.1 x 102.3 x 12.2 (wm universal)	146.0 x 88.3 x 29.0	123.6 x 75.9 x 29.0	107.7 x 66.9 x 29.0
VESA support / Kensington lock	300 x 200 / •	300 x 200 / •	300 x 200 / •	300 x 200 / •

Scope of Delivery

Speaker	invisible sound (in TV integrated)			
Setup Solution / rotate-able	wall mount universal / —	table stand i / •	table stand i / •	table stand i / •
Remote control (incl. batteries)	Loewe remote alu silver (2x AAA)			
Manual / power cord	• / • (2.5 m, black)			

Optional accessories

Selection of recommended setup solutions and audio systems	floor2ceiling stand, floor stand flex	floor2ceiling stand, floor stand flex	floor2ceiling stand, floor stand flex	floor2ceiling stand, floor stand flex
	wall mount slim 432	wall mount slim 432, wall mount	wall mount slim 432, wall mount	wall mount slim 432, wall mount
	klang bar5 mr, klang bar3 mr	universal, klang bar5 mr,	universal, klang bar5 mr,	universal, klang bar3 mr, klang bar i,
	klang sub1, multi.room amp	klang bar3 mr, klang bar i, klang sub1,	klang bar3 mr, klang bar i, klang sub1,	klang sub1, multi.room amp

• = available, • = optional, — = not available

¹ according to panel spec typ. values @ HDR 10%

^{3C} en - de - fr - it - es - pt - nl - el - ru - cs - sk - sl - lt - lv - et - uk - pl - ro - hu - bg - sr - hr - sq - mk - sv - da - fi - no - tr - is - bs - be - kk

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Data sheet

Loewe **inspire**

July 2024

Technical Data

Loewe inspire

	65 dr+ set	55 dr+ set	48 dr+ set
Image			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1
Panel luminance ¹ (ca. cd/m ²) / Viewing angle (h/v)	1.100 / 120°	1.100 / 120°	800 / 120°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	• / • / • / •	• / • / • / •	• / • / • / •
HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	• / • / • / • (incl. IQ PD) / •	• / • / • / • (incl. IQ PD) / •	• / • / • / • (incl. IQ PD) / •
Reception			
DVB-T2/C/S2 HD / Unicable / Dual Channel	• / • / —	• / • / —	• / • / —
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	• / • / • / • (incl. H.266)	• / • / • / • (incl. H.266)	• / • / • / • (incl. H.266)
DiSEqC / Sat over IP / DVB-C over IP / DVB radio	• / — / — / •	• / — / — / •	• / — / — / •
TV+ / Zattoo app / HD+ app	• (Live TV) / • / •	• (Live TV) / • / •	• (Live TV) / • / •
Audio			
Output (ca. watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8
Acoustic speaker concept	klang bar i	klang bar i	klang bar ii
Front firing / down firing / 2-channel crossover	• / — / •	• / — / •	• / — / •
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	• / • / • / • / •	• / • / • / • / •	• / • / • / • / •
Class-D amp / Auto Volume (AVC)	• / •	• / •	• / •
7-Band EQ / Dynamic Loudness	• / •	• / •	• / •
Operation and apps			
Loewe chassis / os / home screen / app store	SL8 / os8 / • / •	SL8 / os8 / • / •	SL8 / os8 / • / •
my Loewe app / smart apps (all: Android + iOS)	• / Vidaa app	• / Vidaa app	• / Vidaa app
Voice control: Alexa Skills / other	• / Vidaa voice	• / Vidaa voice	• / Vidaa voice
EPG / Number of stations in channel list	• / 10.000	• / 10.000	• / 10.000
Mediatext (HbbTV) / Teletext / Splitscreen	• / • / •	• / • / •	• / • / •
Menu languages / Context related help	• / ^{3C} / •	• / ^{3C} / •	• / ^{3C} / •
Parental Lock / Automatic turn-off / Timer	• / • / •	• / • / •	• / • / •
Software update (via USB / Internet) / Hotel Mode	• / • / •	• / • / •	• / • / •
Multimedia			
Loewe dr+: storage capacity (GB) / USB recording / timeshift	1.000 / • / •	1.000 / • / •	1.000 / • / •
Loewe dr+: streaming server / client	— / •	— / •	— / •
Media player / DLNA renderer / web apps / browser	• / • / • / •	• / • / • / •	• / • / • / •
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	• / • / • / • / •	• / • / • / • / •	• / • / • / • / •
Connectivity and Interfaces			
Antenna IEC / satellite F / CI+ 1.4 ECP certified	1 / 1 / 1	1 / 1 / 1	1 / 1 / 1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	• / • / • (120 Hz)	• / • / • (120 Hz)	• / • / • (120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	• / • / • / •	• / • / • / •	• / • / • / •
USB	4 (2 x USB 3.0)	4 (2 x USB 3.0)	4 (2 x USB 3.0)
USB-A power	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A
Bluetooth / Miracast / AirPlay	• / • / •	• / • / •	• / • / •
LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi	• / • / •	• / • / •	• / • / •
TOSLINK / center in / cube plug stereo	• / — / •	• / — / •	• / — / •
Audio out control: fix / variable / sub (3.5 mm jack)	• / • / •	• / • / •	• / • / •
Home automation / Control4 / Crestron	• (via IP) / • / •	• (via IP) / • / •	• (via IP) / • / •
Energy			
EU energy efficiency class: SDR (EEI) / HDR (EEI)	via inspire 65 dr+	via inspire 55 dr+	via inspire 48 dr+
EPRel registration No.: https://eprel.ec.europa.eu	via inspire 65 dr+	via inspire 55 dr+	via inspire 48 dr+
Mains voltages / Power switch / Off mode (watts)	220-240V, 50/60 Hz / — / n.a.	220-240V, 50/60 Hz / — / n.a.	220-240V, 50/60 Hz / — / n.a.
Dimensions			
Weight (ca. kg) excl. / incl. standard setup solution	31,1 / 37,1	24,7 / 30,7	17,4 / 23,4
W* x H x D (cm) without setup solution	146,0 x 86,8 x 6,4	123,6 x 74,4 x 6,4	107,7 x 65,4 x 6,4
W* x H x D (cm) incl. table stand (* incl. signature flag)	146,0 x 88,3 x 29,0	123,6 x 75,9 x 29,0	107,7 x 66,9 x 29,0
VESA support / Kensington lock	300 x 200 / •	300 x 200 / •	300 x 200 / •
Scope of Delivery			
Speaker	klang bar i (in extra carton)	klang bar i (in extra carton)	klang bar i (in extra carton)
Setup Solution / rotate-able	table stand i / •	table stand i / •	table stand i / •
Remote control (incl. batteries)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)
Manual / power cord	• / • (2,5 m, black)	• / • (2,5 m, black)	• / • (2,5 m, black)
Optional accessories			
Selection of recommended setup solutions and audio systems	floor2ceiling stand, floor stand flex wall mount slim 432, wall mount universal, klang bar5 mr, klang bar3 mr, klang bar i, klang sub1, multi.room amp	floor2ceiling stand, floor stand flex wall mount slim 432, wall mount universal, klang bar5 mr, klang bar3 mr, klang bar i, klang sub1, multi.room amp	floor2ceiling stand, floor stand flex wall mount slim 432, wall mount universal, klang bar3 mr, klang bar i, klang sub1, multi.room amp

• = available, • = optional, — = not available

¹ according to panel spec typ. values @ HDR 10%

^{3C} en - de - fr - it - es - pt - nl - el - ru - cs - sk - sl - lt - lv - et - uk - pl - ro - hu - bg - sr - hr - sq - mk - sv - da - fi - no - tr - is - bs - be - kk

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.