

The craft design TV with Loewe dual channel dr+

High performance OLED module designed, engineered and tailored by Loewe in Kronach

Dual channel dr+ system with double triple tuner and SSD for multi view and multi recording

Full support of 4x HDMI 2.1 and Ultra HD @ 144 Hz VRR for high-speed gaming

Rich variety of smart streaming apps and VOD services

Powerful integrated sound bar for superior audio performance

Optional ultra-slim wall mount and motorized floor stand

Sophisticated design with real materials and magic moments of light and motion



































LOEWE. was found by the Loewe brothers as Radio Frequenz GmbH in Berlin in 1923. Today we still design, develop and produce consumer electronics – Made in Germany.

Data sheet Loewe stellar June 2024











The craft design TV with Loewe dual channel dr+







Home-made OLED module

The latest generation and technology of OLED open cells with master black polarizer offer highest brightness and unparalleled motion picture performance in Ultra HD resolution.

The OLED module is designed, engineered and tailored by Loewe in Kronach with alu-compound back-forming, massive alu frame and real concrete back-cover, giving each TV its unique fingerprint.

Pre-calibrated in our factory and supporting HDR 10+ Adaptive, these displays meet all relevant filmmaker picture and colour standards for a perfectly natural and impressive movie reproduction.

Loewe dual channel dr+

Equipped with a dual channel chassis, double tripletuners and a large SSD, the Loewe dr+ system offers multiple viewing and recording possibilities from EPG programmed recording to spontaneous timeshift functions

Tuners for DVB-T2/C/S2 HD and a easy accessible CI slot support various reception and recording scenarios. The Solid State Drive is perfect for video applications and both energy efficient, extra fast and absolutely noise-less for maximum comfort.

Loewe os

The new Loewe os9 is a most convenient and fast smart operating system. The app store offers an extra-large selection of smart apps and a rich variety of video-on-demand services, including e.g. Netflix, YouTube, Disney+ and more.

The system is also compatible with advanced networking features: The support of broad-used dlna, Miracast and others allow comfortable content sharing and control via the home network.

Flexible connectivity with HDMI 2.1 including Ultra HD @ 144 Hz VRR ensures full support of latest game consoles on all four HDMI inputs.



Integrated sound bar and magic.light

An impressive 80 watts front-firing soundbar behind a high-gloss black spray painted metal speaker grill in harmony together with the Loewe signature.ring and the Loewe magic.light - for a discretely welcome and farewell animation or an atmospheric illumination during movie watching.

Simply adjust it as desired in any colour of the rainbow, at different brightness and saturation levels, by the touch of a button on the Loewe stellar remote.



Design craftsmanship

Sophisticated craft design and clever construction details from the in-house Loewe design and innovation studio.

Created with selected real materials like a four-sided brushed full aluminum frame in a diamond-cut shape, real glas-fiber enforced concrete on the back panel and a rotatable table stand made of massive aluminum with a fine bairline-brushed finish

All connections are hidden, and all cables are well guided and hidden by the integrated cable management plus cable covers in the light grey rear cabinet. The solid VESA bolts support any mounting solution.



Sophisticated setup solutions

The Loewe magic.motion feature rotates the TV set on the motorized optional Loewe floor stand motor stellar by a touch of a button on the Loewe remote stellar up to 45° left or right - absolutely silently and smooth.

Of course the floor stand is also made of massive aluminum with a fine hairline-brushed finish. The optional floor2ceiling stand creates a spectacular free-floating 360° presentation, the wall mount stellar allows an extra slim wall solution.

The craft design TV with Loewe dual channel dr+

TV

Screen diagonal (cm / inch): 164/65, 139/55, 121/48, 106/42 Screen resolution (pixels): Ultra HD (3840 x 2160) EU energy efficiency class SDR / HDR: G/G, G/G, G/G, G/G

Power consumption max. (watts): 600, 500, 200, 170 Power consumption standby (watts): 0,35 Energy consumption SDR / HDR (kWh/1000h): 112/122, 84/90, 66/77, 52/63

Loewe stellar 42-65 dr+

Scope of delivery includes TV set with integrated sound bar and table stand stellar 65 dr+: W* x H x PD / TD = 146.8 x 94.0 x 4.7 / 27.5 stellar 55 dr+: W* x H x PD / TD = 124.9 x 81.7 x 4.7 / 27.5 stellar 48 dr+: W* x H x PD / TD = 109.3 x 72.9 x 4.7 / 19.5 stellar 42 dr+: W* x H x PD / TD = 95.8 x 65.4 x 4.7 / 19.5 table stand manually rotatable (+/- 45°), concealed cable routing

alu brushed + concrete

Model	Article
stellar 65 dr+	63470
stellar 55 dr+	63469
stellar 48 dr+	63466
stellar 42 dr+	63465







Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted. * In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

The craft design TV with Loewe dual channel dr+

Setup solutions

Further options are possible. Your dealer will be happy to advise you.

Stand solutions

floor stand motor stellar

stellar 65 dr+: W* x H x PD / TD = 146.8 x 133.2 x 4.7 / 49.1 stellar 55 dr+: W* x H x PD / TD = 124.9 x 120.9 x 4.7 / 35.2 stellar 48 dr+: W* x H x PD / TD = 109.3 x 112.1 x 4.7 / 35.2 stellar 42 dr+: W* x H x PD / TD = 95.8 x 104.6 x 4.7 / 35.2 motorized rotatable (+/- 45°), concealed cable routing

floor2ceiling stand

stellar 65 dr+: W* x H x PD / TD = 146.8 x 220-290 x 4.7 / 15.6 stellar 55 dr+: W* x H x PD / TD = 124.9 x 220-290 x 4.7 / 15.6 stellar 48 dr+: W* x H x PD / TD = 109.3 x 220-290 x 4.7 / 15.6 stellar 42 dr+: W* x H x PD / TD = 95.8 x 220-290 x 4.7 / 15.6 manually rotatable (+/- 110°), concealed cable routing, height adjustable (220-290 cm)

floor stand flex (2024)

 $stellar\ 65\ dr+: W*\ x\ H\ x\ PD\ /\ TD = 146.8\ x\ 129.8\ x\ 4.7\ /\ 54.0$ $stellar\ 55\ dr+: W*\ x\ H\ x\ PD\ /\ TD = 124.9\ x\ 117.5\ x\ 4.7\ /\ 54.0$ $stellar\ 48\ dr+: W*\ x\ H\ x\ PD\ /\ TD = 95.8\ x\ 101.2\ x\ 4.7\ /\ 54.0$ $manually\ rotatable\ (+/-\ 45^\circ), concealed\ cable\ routing,$ with or without carrier for accessory tray or soundbar

floor stand universal (2024)

 $stellar\ 65\ dr+: \ W^*\ x\ H\ x\ PD\ /\ TD = 146.8\ x\ 133.8\ x\ 4.7\ /\ 52.5$ $stellar\ 55\ dr+: \ W^*\ x\ H\ x\ PD\ /\ TD = 124.9\ x\ 121.6\ x\ 4.7\ /\ 52.5$ $stellar\ 48\ dr+: \ W^*\ x\ H\ x\ PD\ /\ TD = 109.3\ x\ 112.8\ x\ 4.7\ /\ 52.5$ $stellar\ 42\ dr+: \ W^*\ x\ H\ x\ PD\ /\ TD = 95.8\ x\ 105.2\ x\ 4.7\ /\ 52.5$ $manually\ rotatable\ (+/-\ 45^\circ), concealed\ cable\ routing$



The craft design TV with Loewe dual channel dr+

Setup solutions

Further options are possible. Your dealer will be happy to advise you.

Wall solutions

wall mount stellar

stellar 65 dr+: W* x H x PD / TD = 146.8 x 88.8 x 4.7 / 6.5 stellar 55 dr+: W* x H x PD / TD = 124.9 x 76.5 x 4.7 / 6.5 stellar 48 dr+: W* x H x PD / TD = 109.3 x 67.7 x 4.7 / 6.5 stellar 42 dr+: W* x H x PD / TD = 95.8 x 60.2 x 4.7 / 6.5 flat mounting

wall mount universal

stellar 65 dr+: W* x H x PD / TD = 146.8 x 88.8 x 4.7 / 9.0 stellar 55 dr+: W* x H x PD / TD = 124.9 x 76.5 x 4.7 / 9.0 stellar 48 dr+: W* x H x PD / TD = 109.3 x 67.7 x 4.7 / 9.0 stellar 42 dr+: W* x H x PD / TD = 95.8 x 60.2 x 4.7 / 9.0 tillable mounting

wall mount slim 432

stellar 65 dr+: W* x H x PD / TD = 146.8 x 88.8 x 4.7 / 7.3 stellar 55 dr+: W* x H x PD / TD = 124.9 x 76.5 x 4.7 / 7.3 stellar 48 dr+: W* x H x PD / TD = 109.3 x 67.7 x 4.7 / 7.3 stellar 42 dr+: W* x H x PD / TD = 95.8 x 60.2 x 4.7 / 7.3 flat mounting



The craft design TV with Loewe dual channel dr+

System components

Loewe multi.room amp Colour Model Article Stereo amplifier for multiroom and homecinema 61600 black multi.room amp installations with 1.200 watts total music power Loewe klang bar5 mr 5.1.2 Dolby Atmos soundbar with wireless klang bar5 mr 60601 basalt grey subwoofer and 800 watts total music power Loewe klang bar3 mr 3.1 Dolby Atmos soundbar with integrated subwoofer and 360 watts total music power basalt grey klang bar3 mr 60614 Loewe klang sub5 Any number of klang sub5 can be connected to a basalt grey klang sub5 60603 klang bar3 mr or klang bar5 mr at the same time Loewe klang mr5 Wireless active speakers with 180 watts for basalt grey klang mr5 60606 multichannel home cinema or multiroom audio Loewe klang mr3 Wireless active speakers with 150 watts for basalt grey klang mr3 60605 multichannel home cinema or multiroom audio Loewe klang mr1 Wireless active speakers with 30 watts as rear basalt grey 60604 klang mr1 surround or for multiroom audio Loewe remote klang mr Multifunctional IR remote control for Loewe klang mr 74000 black remote klang mr and Loewe klang bar to operate all basic functions

Data sheet Loewe **stellar** June 2024

and sound settings

The craft design TV with Loewe dual channel dr+

Additional information

www.loewe.tv



my Loewe app



Your Loewe contact

We are happy to help personally.

Our Loewe Customer Care Center is here for you: Monday to Friday 09:00 – 17:00 o'clock ccc@loewe.de | 0049 9261 99 500

Your Loewe dealer

Technical Data

Loewe stellar	65 dr+	55 dr+
---------------	--------	--------

mage		
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1
Panel luminance ¹ (ca. cd/m²) / Viewing angle (h/v)	1.500 / 120°	1.500 / 120°
Iltra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•/•	•/•/•
IDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	• / • / • (Adaptive) / — / •	• / • / • (Adaptive) / — / •
Receiption		
VB-T2/C/S2 HD / Unicable / Dual Channel	•/•/•	•/•/•
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	●/●/●/● (incl. H.266)	• / • / • / • (incl. H.266)
DISEqC / Sat over IP / DVB-C over IP / DVB radio	•/-/•	• / - / - / • • (TV Plus) / • / •
V+ / Zattoo app / HD+ app	● (TV Plus) / ● / ●	● (TV Plus) / ● / ●
Audio		
Output (ca. watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)
coustic speaker concept	closed bar + p. membranes	closed bar + p. membranes
ront firing / down firing / 2-channel crossover olby: Audio / Digital / Digital Plus / Atmos / DTS: HD	<u> </u>	•/-/• •/•/•/-
Class-D amp / Auto Volume (AVC)	•/•/•/	•/•
-Band EQ / Dynamic Loudness	•/•	•/•
peration	010 / 0 / /	010 / 0 / /
powe chassis / os / home screen / app store	SL9/os9/•/•	SL9 / os9 / • / •
ny Loewe app / smart apps (all: Android + iOS) pice control: Alexa Skills / other		/ SmartThings app/ Bixby voice
PG / Number of stations in channel list	• / 10.000	• / 10.000
ediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•
fulti View	•	•
lenu languages / Context related help	• 3D / •	• 3D / •
arental Lock / Automatic turn-off / Timer	•/•/•	•/•/•
oftware update (via USB / Internet) / Hotel Mode	•/•/—	•/•/—
lultimedia		
oewe dr+: storage capacity (GB) / USB recording / timeshift	1.000 (SSD) / o / ●	1.000(SSD)/o/●
oewe dr+: streaming server / client	_ / • (dlna)	— / ● (dlna)
lulti Recording	•	•
Media player / DLNA renderer / web apps / browser	•/•/•	•/•/•/•
ouTube / Amazon prime video / Netflix / Disney+	•/•/•	•/•/•/•
Connectivity and Interfaces		
ntenna IEC / satellite F / CI+ 1.4 ECP certified	1/2/1	1/2/1
DMI	4 x HDMI 2.1	4 x HDMI 2.1
IDMI UHD / ALLM / VRR	• / • / • (144 Hz)	• / • / • (144 Hz)
IDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•/•
ISB	4 (2 x USB-C)	4 (2 x USB-C)
ISB-A power ISB-C power	max. 4,0 A total / 2 x 2,0 A parallel max. 2,0 A total / 2 x 1,0 A parallel	max. 4,0 A total / 2 x 2,0 A parallel max. 2,0 A total / 2 x 1,0 A parallel
lluetooth / Miracast	• / •	• / •
AN network connection / WLAN (Wi-Fi) / DTS Play-Fi	•/•/-	•/•/-
OSLINK / center in / cube plug stereo	•/-/-	•/-/-
udio out control: fix / variable / sub (3.5 mm jack)	_/•/•	- /•/•
oewe motor.control / magic.light	•/•	•/•
ome automation / Control4 / Crestron	• (via SmartThings)	(via SmartThings)
nergy		
J energy efficiency class: SDR (EEI) / HDR (EEI)	G/G	G/G
PREL registration No.: https://eprel.ec.europa.eu	1977964	1977960
ains voltages / Power switch / Off mode (watts)	220-240V, 50 / 60 Hz / • / 0,0	220-240V, 50 / 60 Hz / • / 0,0
imensions		
eight (ca. kg) excl. / incl. standard setup solution	21,5 / 23,7	17,6 / 19,8
reight (ca. kg) excl. / incl. standard setup solution * x H x D (cm) without setup solution	146.8 x 88.8 x 4.7	17,6 / 19,6 124,9 x 76,5 x 4,7
* x H x D (cm) incl. table stand (* incl. signature flag)	146,8 x 94,0 x 27,5	124,9 x 81,7 x 27,5
ESA support / Kensignton lock	300 x 200 / ●	300 x 200 / ●
cope of Delivery		
<u> </u>	integrated	integrated
peaker	integrated table stand / ●	integrated table stand / ●
peaker etup Solution / rotate-able	table stand / ●	integrated table stand / ● Loewe remote stellar & mini (4x AAA)
peaker etup Solution / rotate-able emote control (incl. batteries)	table stand / • Loewe remote stellar & mini (4x AAA)	table stand / ●
peaker etup Solution / rotate-able emote control (incl. batteries) lanual / power cord	table stand / ●	table stand / ● Loewe remote stellar & mini (4x AAA)
peaker etup Solution / rotate-able emote control (incl. batteries) lanual / power cord ptional accessories	table stand / ● Loewe remote stellar & mini (4x AAA) • / • (2,5 m, black)	table stand / ● Loewe remote stellar & mini (4x AAA) ● / ● (2,5 m, black)
peaker etup Solution / rotate-able emote control (incl. batteries) fanual / power cord ptional accessories	table stand / ● Loewe remote stellar & mini (4x AAA) ● / ● (2.5 m, black) floor2ceiling stand	table stand / ● Loewe remote stellar & mini (4x AAA) • / • (2,5 m, black) floor2ceiling stand
peaker etup Solution / rotate-able emote control (incl. batteries) lanual / power cord ptional accessories	table stand / ● Loewe remote stellar & mini (4x AAA) ● / ● (2,5 m, black) floor2ceiling stand floor stand motor stellar	table stand / ● Loewe remote stellar & mini (4x AAA) ● / ● (2,5 m, black) floor2ceiling stand floor stand motor stellar
peaker etup Solution / rotate-able emote control (incl. batteries) fanual / power cord ptional accessories	table stand / • Loewe remote stellar & mini (4x AAA) • / • (2.5 m, black) floor2ceiling stand floor stand motor stellar floor stand flex	table stand / ● Loewe remote stellar & mini (4x AAA) • / • (2,5 m, black) floor2ceiling stand floor stand motor stellar floor stand flex
peaker ietup Solution / rotate-able lemote control (incl. batteries) Manual / power cord optional accessories	table stand / ● Loewe remote stellar & mini (4x AAA) ● / ● (2,5 m, black) floor2ceiling stand floor stand motor stellar	table stand / ● Loewe remote stellar & mini (4x AAA) ● / ● (2,5 m, black) floor2ceiling stand floor stand motor stellar
peaker ietup Solution / rotate-able lemote control (incl. batteries) Manual / power cord optional accessories	table stand / ● Loewe remote stellar & mini (4x AAA) • / • (2.5 m, black) floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal	table stand / Loewe remote stellar & mini (4x AAA) • / • (2,5 m, black) floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal
peaker setup Solution / rotate-able setup Solution / incl. batteries) setup Solution / power cord setup Solution / power cord setup Solutions and audio systems	table stand / ● Loewe remote stellar & mini (4x AAA) • / ● (2,5 m, black) floor2ceilling stand floor stand motor stellar floor stand flex floor stand universal wall mount universal	table stand / Loewe remote stellar & mini (4x AAA) • / • (2,5 m, black) floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal wall mount universal

^{• =} available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

 ¹ according to panel spec typ, values @ HDR 10%
 30) pt - dk - es - en - fr - sv - fi - it - ro - bs - hr - sl - sq - sr - lv - lt - et - hu - no - cs - nl - de - pl - el - mk - bg - ko

Technical Data

Loewe stellar 48 dr+ 42 dr+

Image		
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	121 / 48 / 1	106 / 42 / 1
Panel luminance ¹ (ca. cd/m ²) / Viewing angle (h/v)	800 / 120°	800 / 120°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	• / • / • (Adaptive) / — / •	• / • / • (Adaptive) / — / •
Receiption		
DVB-T2/C/S2 HD / Unicable / Dual Channel	•/•/•	•/•/•
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/•/• (incl. H.266)	• / • / • / • (incl. H.266)
DiSEqC / Sat over IP / DVB-C over IP / DVB radio	•/-/-	•/-/-
TV+ / Zattoo app / HD+ app	• (TV Plus) / • / •	• (TV Plus) / • / •
Audio		
Output (ca. watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)
Acoustic speaker concept	closed bar + p. membranes	closed bar + p. membranes
Front firing / down firing / 2-channel crossover	•/-/•	•/-/•
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/-	•/•/•/-
Class-D amp / Auto Volume (AVC)	• / •	• / •
7-Band EQ / Dynamic Loudness	•/•	•/•
Operation		
Loewe chassis / os / home screen / app store	SL9/os9/•/•	SL9/os9/•/•
my Loewe app / smart apps (all: Android + iOS)	• / SmartThings app	 ✓ SmartThings app
Voice control: Alexa Skills / other	/ Bixby voice	Bixby voice
EPG / Number of stations in channel list	•/10.000	• / 10.000 • / • / •
Mediatext (HbbTV) / Teletext / Splitscreen Multi View	•/•/•	•/•/•
Menu languages / Context related help		• 3D / •
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel Mode	•/•/-	•/•/-
Multimedia		
	1,000 (820) / - / -	1,000,000) / - / -
Loewe dr+: storage capacity (GB) / USB recording / timeshift Loewe dr+: streaming server / client	1.000 (SSD) / o / • — / ● (dlna)	1.000 (SSD) / • / • — / • (dlna)
Multi Recording		• (unia)
Media player / DLNA renderer / web apps / browser	•/•/•/•	•/•/•/•
YouTube / Amazon prime video / Netflix / Disney+	•/•/•/	•/•/•/•
Connectivity and Interfaces		
Antenna IEC / satellite F / CI+ 1.4 ECP certified	1/2/1	1/2/1
HDMI	4 x HDMI 2.1	4 x HDMI 2.1
HDMI UHD / ALLM / VRR	• / • / • (144 Hz)	• / • / • (144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•	•/•/•/•
USB	4 (2 x USB-C)	4 (2 x USB-C)
USB-A power	max. 4,0 A total / 2 x 2,0 A parallel	max. 4,0 A total / 2 x 2,0 A parallel
USB-C power	max. 2,0 A total / 2 x 1,0 A parallel	max. 2,0 A total / 2 x 1,0 A parallel
Bluetooth / Miracast	•/•	•/•
LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi	•/•/-	•/•/—
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack)	<u>●/-/-</u> -/•/•	•/-/- -/•/•
Loewe motor.control / magic.light		•/•
Home automation / Control4 / Crestron	● (via SmartThings)	• (via SmartThings)
	(via omaremnigo)	(via dinartinings)
Energy	0.40	0.40
EU energy efficiency class: SDR (EEI) / HDR (EEI)	G / G 1977957	G / G 1977954
EPREL registration No.: https://eprel.ec.europa.eu	220-240V, 50 / 60 Hz / • / 0,0	220-240V, 50 / 60 Hz / ● / 0,0
Mains voltages / Power switch / Off mode (watts)	220-240 v, 30 / 00 ∏2 / ♥ / U,U	220-240 V, 30 / 00 FIZ / ♥ / U,U
Dimensions		
Weight (ca. kg) excl. / incl. standard setup solution	13,9 / 15,8	12,0 / 13,9
W* x H x D (cm) without setup solution	109,3 x 67,7 x 4,7	95,8 x 60,2 x 4,7
W* x H x D (cm) incl. table stand (* incl. signature flag)	109,3 x 72,9 x 19,5	95,8 x 65,4 x 19,5
VESA support / Kensignton lock	300 x 200 / ●	300 x 200 / ●
Scope of Delivery		
Speaker	integrated	integrated
Setup Solution / rotate-able	table stand / •	table stand / •
Remote control (incl. batteries)	Loewe remote stellar & mini (4x AAA)	Loewe remote stellar & mini (4x AAA)
Manual / power cord	• / • (2,5 m, black)	• / • (2,5 m, black)
Optional accessories		
Selection of recommended setup solutions and audio systems	floor2ceiling stand	floor2ceiling stand
	floor stand motor stellar	floor stand motor stellar
	floor stand flex	floor stand flex
	floor stand universal	floor stand universal
	wall mount universal wall mount slim 432	wall mount universal wall mount slim 432
	wall mount stallar	wall mount stollar
	wall mount stellar multi.room amp	wall mount stellar multi.room amp

ullet = available, ullet = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

 ¹ according to panel spec typ, values @ HDR 10%
 30) pt - dk - es - en - fr - sv - fi - it - ro - bs - hr - sl - sq - sr - lv - lt - et - hu - no - cs - nl - de - pl - el - mk - bg - ko