

CÂBLE RCA Y CAISSON DE GRAVE

RED Serie

Spécialement conçu pour relier un caisson de basse à un amplificateur Hi-Fi ou à des enceintes actives, le câble RCA Y de la gamme RED.

Il assure une transmission précise et stable des basses fréquences, tout en préservant la dynamique et l'équilibre global de votre système audio.

LONGUEURS
DISPONIBLES

3m
5m



Chaque câble est constitué de cuivre désoxygéné OFC (Oxygen Free Copper) établi à 99,99 % de pureté.

Ce conducteur est protégé par une isolation et un blindage soigné, associant une double couche PVC ainsi qu'un feuillard aluminium. Cette architecture multicouche agit comme un blindage efficace contre les interférences électromagnétiques et radiofréquences, garantissant un grave impactant et précis.


Les connecteurs RCA plaqués or assurent un contact stable tout en résistant parfaitement à l'oxydation. Chaque sortie est clairement identifiée pour une mise en place simple et intuitive.

Le câble est également fléché pour indiquer la direction optimale de circulation du signal, de la sortie subwoofer de l'amplificateur vers l'entrée du caisson.

Disponible en longueurs de 3 ou 5 mètres, le câble RCA Y RED s'adapte facilement aux exigences de placement du caisson de grave dans la pièce, tout en garantissant une connexion fiable et un renfort basse fréquence parfaitement maîtrisé.



SPÉCIFICATIONS TECHNIQUES



GAINE COTON TRESSÉE

ISOLATION PVC

FEUILLE ISOLANTE EN ALUMINIUM

BLINDAGE TRESSE DE CUIVRE

GAINE PVC

SECTION DE CUIVRE


OFC wire / 99,99% Oxygen-free copper




ISOLATION TRIPLE
COUCHE



MULTIBRINS



CUIVRE
DÉSOXYGÉNÉ



BORNES
PLACAGE OR



CONNECTEURS RCA



SENS DU SIGNAL

INFORMATIONS LOGISTIQUES

Code EAN : **3m** - 3660216018243
Code EAN : **5m** - 3660216018274

Poids net : **190g**
Poids net : **284g**

Dimensions packaging : **L160 x H210 x P55mm**
Dimensions packaging : **L240x H240 x P55mm**

RCA Y-CABLE FOR SUBWOOFER

RED Serie

The RCA Y RED cable is designed to connect a subwoofer to a Hi-Fi amplifier or active speakers equipped with a subwoofer output.

It provides stable and accurate transmission of low frequencies, while preserving the balance and dynamics of the system.

AVAILABLE
LENGTHS

3m
5m



Each cable incorporates a 99.99% pure OFC (Oxygen Free Copper) conductor, ensuring excellent conductivity and faithful reproduction of the audio signal. Its Y configuration ensures even distribution of the signal to the subwoofer's stereo inputs.


The insulation combines several layers of PVC, aluminium foil and a braided textile sheath. This structure effectively protects the signal from electromagnetic interference and parasitic vibrations, ensuring clean transmission in all listening conditions.

The gold-plated RCA connectors ensure reliable and durable contact, with good resistance to oxidation. Each plug is labelled to simplify installation, and the cable is marked to indicate the direction of signal flow, from the source to the subwoofer.

Available in lengths of 3 or 5 metres, the RCA Y RED cable easily adapts to the configuration of your room and allows you to fully exploit the capabilities of your subwoofer with ease.



TECHNICAL SPECIFICATIONS



- BRAIDED COTTON SHEATH
- PVC INSULATION
- ALUMINUM INSULATING SHEET
- COPPER BRAID SHIELDING
- PVC SHEATH
- COPPER SECTION
OFC wire / 99,99% Oxygen-free copper

TRIPLE INSULATION

MULTI-STRAND

OXYGEN FREE COPPER

BANANA PLUGS GOLD-PLATED

RCA CONNECTORS

SIGNAL DIRECTION

LOGISTICS INFORMATION

EAN : 3m - 3660216018243
EAN : 5m - 3660216018274

Net Weight: 190g
Net Weight: 284g

Packaging Dimensions: L160 x H210 x P55mm
Packaging Dimensions: L240x H240 x P55mm